CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888      11      222222                KK     KK
GG         88    88    111     22    22               KK    KK
GG         88    88     11           222              KK   KK
GG  GGGG    888888      11         222                KKKK
GG    GG   88    88     11       22                   KK   KK
GG    GG   88    88     11      22                    KK    KK
 GGGGGG     888888   11111111  22222222                KK     KK
```

CROSSTABS

FROFF, FRCL, FRMIL, FRDMAR, FRDNUN BY FRPOS BY DCON

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JCIK

77/04/04. 16.40.04.

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
                MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
                               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
                               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
                               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
                               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
                               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
                               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
                               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
                               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
                               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
                               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
                               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
                               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
                MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
                               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
                               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
                               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
                               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
                               PRAGE(0,99)
                CROSSTABS      VARIABLES=FROFF(0,9),FRCL(0,9),FRMIL(0,9),FRDMAR(0,9),FRDNUN(0,9)
                               /FRPOS(0,9)/DCON(0,7)/TABLES=FROFF,FRCL,FRMIL,FRDMAR,FRDNUN BY
                               FRPOS BY DCON
                STATISTICS     ALL
                READ INPUT DATA

          052100 CM NEEDED FOR CROSSTABS
```

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/04.)

* CROSSTABULATION OF *

FROFF BY FRPOS

CONTROLLING FOR..

DCON VALUE.. 2 → 1590-1599

* * * * * * * * * * * * * * * * * * * \

ETA = .52089 WITH FROFF DEPENDENT.
ETA = .37566 WITH FRPOS DEPENDENT.

DOCUMENTS/INC SS-102

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/04.)

* C R O S S T A B U L A T I O N O F *

FROFF BY FRPOS

CONTROLLING FOR..

DCON VALUE.. 3 → 1600-1609

* * * * * * * * * * * * * * * * * * * \

```
CRAMER'S V =    .36206
CONTINGENCY COEFFICIENT =    .69175
LAMBDA (ASYMMETRIC) =    .10345 WITH FROFF    DEPENDENT.          =    .16949 WITH FRPOS    DEPENDENT.
LAMBDA (SYMMETRIC) =    .14773
UNCERTAINTY COEFFICIENT (ASYMMETRIC) =    .30246 WITH FROFF    DEPENDENT.          =    .18544 WITH FRPOS    DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) =    .22991
KENDALL'S TAU B =  -.34969.    SIGNIFICANCE =    .0001
KENDALL'S TAU C =  -.28924.    SIGNIFICANCE =    .0001
CONDITIONAL GAMMA =  -.46857
SOMERS'S D (ASYMMETRIC) =  -.28950 WITH FROFF    DEPENDENT.          =  -.42241 WITH FRPOS    DEPENDENT.
SOMERS'S D (SYMMETRIC) =  -.34355
ETA =    .42229 WITH FROFF    DEPENDENT.
ETA =    .56442 WITH FRPOS    DEPENDENT.
```

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/04.)

* CROSSTABULATION OF *

FROFF BY FRPOS

CONTROLLING FOR..

DCON VALUE.. 4 → 1610-1619

* * * * * * * * * * * * * * * * * * * \

CRAMER≠S V = .35180
CONTINGENCY COEFFICIENT = .68132
LAMBDA (ASYMMETRIC) = .04545 WITH FROFF DEPENDENT. = .10938 WITH FRPOS DEPENDENT.
LAMBDA (SYMMETRIC) = .09302
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .31687 WITH FROFF DEPENDENT. = .16356 WITH FRPOS DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .21575
KENDALL≠S TAU B = -.30504. SIGNIFICANCE = .0006
KENDALL≠S TAU C = -.22756. SIGNIFICANCE = .0006
CONDITIONAL GAMMA = -.45603
SOMERS≠S D (ASYMMETRIC) = -.22581 WITH FROFF DEPENDENT. = -.41207 WITH FRPOS DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.29174
ETA = .47814 WITH FROFF DEPENDENT.
ETA = .45357 WITH FRPOS DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/04.)

* C R O S S T A B U L A T I O N O F *

FROFF BY FRPOS

CONTROLLING FOR..

DCON VALUE.. 5 → 1620-1629

* * * * * * * * * * * * * * * * * * * \

ETA = .41972 WITH FROFF DEPENDENT.
ETA = .33858 WITH FRPOS DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/04.)

* CROSSTABULATION OF *

FROFF BY FRPOS

CONTROLLING FOR..

DCON VALUE.. 6 → 1630-1639

* * * * * * * * * * * * * * * * * * * \

CRAMER≠S V = .31021
CONTINGENCY COEFFICIENT = .63443
LAMBDA (ASYMMETRIC) = .05128 WITH FROFF DEPENDENT. = .12500 WITH FRPOS DEPENDENT.
LAMBDA (SYMMETRIC) = .10236
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .25097 WITH FROFF DEPENDENT. = .15362 WITH FRPOS DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .19058
KENDALL≠S TAU B = -.38398. SIGNIFICANCE = .0000
KENDALL≠S TAU C = -.31340. SIGNIFICANCE = .0000
CONDITIONAL GAMMA = -.52496
SOMERS≠S D (ASYMMETRIC) = -.31228 WITH FROFF DEPENDENT. = -.47214 WITH FRPOS DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.37592
ETA = .46376 WITH FROFF DEPENDENT.
ETA = .50756 WITH FRPOS DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/04.)

* CROSSTABULATION OF *

FROFF BY FRPOS

CONTROLLING FOR.. DCON VALUE.. 7 → 1640-1650

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/04.)

* C R O S S T A B U L A T I O N O F *

FROFF BY FRPOS

CONTROLLING FOR..

DCON VALUE.. 7

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/04.)

* C R O S S T A B U L A T I O N O F *

FRCL BY FRPOS

CONTROLLING FOR..

DCON VALUE.. 2 → 1590-1599

* * * * * * * * * * * * * * * * * * * \

ETA = .46300 WITH FRCL DEPENDENT.
ETA = .42964 WITH FRPOS DEPENDENT.

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/04.)

* CROSSTABULATION OF *

FRCL BY FRPOS

CONTROLLING FOR..

DCON

VALUE.. 3 → 1600-1609

* * * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU B = .43078. SIGNIFICANCE = .0000
KENDALL≠S TAU C = .35243. SIGNIFICANCE = .0000
CONDITIONAL GAMMA = .59544
SOMERS≠S D (ASYMMETRIC) = .34554 WITH FRCL DEPENDENT. = .53704 WITH FRPOS DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .42052
ETA = .55158 WITH FRCL DEPENDENT.
ETA = .55400 WITH FRPOS DEPENDENT.

DOCUMENTS/IN 55-192
UNIVERSITY OF COLORADO COMPUTING CENTER